

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

ANNEX II - Declaration on verification

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The **CELLNEX TELECOM GLOBAL (Cellnex Telecom S.A, Cellnex Telecom España, Cellnex Italia, Cellnex France Groupe, Cellnex Netherlands, Cellnex Switzerland, Cellnex UK, Cellnex Ireland, Cellnex Portugal, Cellnex Austria, Cellnex Denmark, Cellnex Sweden and Cellnex Poland)** verification has been carried out.

As a result of this verification process TÜV Rheinland states that:

The emissions report **CELLNEX TELECOM GLOBAL GHG 2024 of January 2025 for base year 2020** is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons at **Cellnex Telecom Global** have been

| REPORTING BOUNDARIES | GHG SOURCES | UNITATS | Units | ORGANIZATIONAL BOUNDARIES | | | | | | | | | | | | | Total 2020 |
|---|-----------------------|---------|--------|---------------------------|------------|-------------|-----------|-------------|-----------|----------|------------|------------|----------|-----------|----------|-------------------|-------------------|
| | | | | Spain | Italy | Netherlands | France | Switzerland | UK | Ireland | Portugal | Poland | Sweden | Austria | Denmark | Corporate | |
| C1. Direct GHG emissions and removals | | | t CO2e | 3.081,34 | 1.449,02 | 441,66 | 157,22 | 29,40 | 38,28 | 0,00 | 51,69 | 399,71 | 8,88 | 112,32 | 27,46 | 231,16 | 6.028,14 |
| C2. Indirect GHG emissions from imported energy | Market-based method | | t CO2e | 78.140,87 | 167.694,92 | 5.430,11 | 0,00 | 0,00 | 213,56 | 0,00 | 179.785,63 | 0,00 | 8.305,22 | 15,45 | 877,80 | 440.463,56 | |
| | Location-based method | | t CO2e | 42.880,41 | 156.524,26 | 14.034,29 | 323,71 | 2,19 | 13.579,94 | 213,56 | 0,00 | 108.080,41 | 596,94 | 0,48 | 6,91 | 487,66 | 336.730,76 |
| C3. Indirect GHG emissions from transportation | | | t CO2e | 779,40 | 142,81 | 174,60 | 296,80 | 34,34 | 131,57 | 110,61 | 41,57 | 592,82 | 9,09 | 19,42 | 48,22 | 161,06 | 2.542,31 |
| C4. Indirect GHG emissions from products used by organization | | | t CO2e | 48.068,92 | 51.509,19 | 7.460,39 | 15.370,32 | 1.694,33 | 15.708,32 | 1.666,77 | 3.193,78 | 31.675,58 | 846,14 | 2.313,35 | 1.248,39 | 10.946,57 | 191.702,05 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | | t CO2e | 4.652,34 | 16.201,71 | 36.360,91 | 26.803,85 | 11.015,57 | 50.169,58 | 5.657,02 | 39.285,60 | 233.292,15 | 889,97 | 28.838,12 | 5.234,89 | 186,55 | 458.588,16 |

| Scope | Category | Units | GHG ACTIVITY DATA 2020 | | | | | | | | | | | | | Total 2020 |
|--------------------------------------|----------|---------------|---------------------------|-------------------|------------------|------------------|------------------|------------------|-----------------|------------------|-------------------|-----------------|------------------|-----------------|------------------|---------------------|
| | | | ORGANIZATIONAL BOUNDARIES | | | | | | | | | | | | | |
| | | | Spain | Italy | Netherlands | France | Switzerland | UK | Ireland | Portugal | Poland | Sweden | Austria | Denmark | Corporate | |
| Scope 1 | | t CO2e | 3.081,34 | 1.449,02 | 441,66 | 157,22 | 29,40 | 38,28 | 0,00 | 51,69 | 399,71 | 8,88 | 112,32 | 27,46 | 231,16 | 6.028,14 |
| Scope 2 (market) | | t CO2e | 78.140,87 | 167.694,92 | 5.430,11 | 0,00 | 0,00 | 213,56 | 0,00 | 179.785,63 | 0,00 | 8.305,22 | 15,45 | 877,80 | 440.463,56 | |
| Scope 2 (location) | | t CO2e | 42.880,41 | 156.524,26 | 14.034,29 | 323,71 | 2,19 | 13.579,94 | 213,56 | 0,00 | 108.080,41 | 596,94 | 0,48 | 6,91 | 487,66 | 336.730,76 |
| Scope 3 | | t CO2e | 53.500,66 | 67.853,71 | 43.995,90 | 42.470,97 | 12.744,24 | 66.009,47 | 7.434,40 | 42.520,85 | 265.560,55 | 1.745,20 | 31.170,89 | 6.531,50 | 11.294,18 | 652.832,52 |
| TOTAL (market-based method) | | t CO2e | 134.722,88 | 236.397,65 | 49.867,67 | 42.628,19 | 12.773,64 | 66.047,75 | 7.647,96 | 42.572,54 | 445.745,89 | 1.754,08 | 39.588,43 | 6.574,41 | 12.403,14 | 1.099.324,23 |
| TOTAL (location-based method) | | t CO2e | 99.462,42 | 225.826,99 | 58.471,85 | 42.951,90 | 12.775,83 | 79.627,69 | 7.647,96 | 42.572,54 | 374.040,67 | 2.351,02 | 31.283,69 | 6.565,87 | 12.013,00 | 995.591,42 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The **CELLNEX TELECOM ESPAÑA (Cellnex Telecom España, Tradia Telecom, Retevisión I, On Tower Telecom Infraestructuras, Metrocall, MBA Datacenters, Sateliot Services)**'s Carbon Footprint verification has been carried out.

As a result of this verification process TÜV Rheinland states that:

The emissions report **CELLNEXTELECOM ESPAÑA. GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons at **Cellnex Telecom España** have been

| GHG EMISSIONS 2020 | | | | | | | | | | |
|---|-----------------------|--------|---------------------------|----------------------|---|--------------------------------|-----------------|-----------------|-----------------------------|------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | | | | | | Total 2020 |
| | | | Tradia Telecom, S.A.U. | Retevisión-I, S.A.U. | On tower telecom Infraestructuras, S.A.U. | Cellnex Telecom España, S.L.U. | MBA Datacenters | Metrocall, S.A. | SATELIOT IOT SERVICES, S.L. | |
| C1. Direct GHG emissions and removals | | t CO2e | 182,81 | 1.752,15 | 684,30 | 0,96 | 20,72 | 0,00 | 0,00 | 2.640,94 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 7.622,43 | 28.948,07 | 40.293,76 | 878,98 | 397,63 | 0,00 | 0,00 | 78.140,87 |
| | Location-based method | t CO2e | 4.148,79 | 15.754,14 | 22.282,72 | 478,36 | 216,40 | 0,00 | 0,00 | 42.880,41 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 198,74 | 538,38 | 12,88 | 18,54 | 10,86 | 0,00 | 0,00 | 779,40 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 9.520,09 | 28.769,49 | 13.004,13 | 254,16 | 716,17 | 81,78 | 0,00 | 52.309,88 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 100,72 | 690,52 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 791,24 |
| TOTAL (market-based method) | | t CO2e | 17.624,79 | 60.698,61 | 53.995,07 | 1.152,64 | 1.145,38 | 81,78 | 0,00 | 134.662,33 |
| TOTAL (location-based method) | | t CO2e | 14.151,15 | 47.504,68 | 35.984,03 | 752,02 | 964,15 | 81,78 | 0,00 | 99.401,87 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | | | | | | | |
|---|---|--------|---------------------------|----------------------|---|--------------------------------|-----------------|-----------------|-----------------------------|------------|------------|
| Scope | Category | Units | ORGANIZATIONAL BOUNDARIES | | | | | | | Total 2020 | % market |
| | | | Tradia Telecom, S.A.U. | Retevisión-I, S.A.U. | On Tower Telecom Infraestructuras, S.A.U. | Cellnex Telecom España, S.L.U. | MBA Datacenters | Metrocall, S.A. | SATELIOT IOT SERVICES, S.L. | | |
| Scope 1 | Stationary combustion | t CO2e | 0,90 | 6,36 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 7,26 | 0,01% |
| | Mobile combustion | t CO2e | 79,07 | 1.461,93 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 1.541,00 | 1,14% |
| | Fugitive emissions | t CO2e | 102,84 | 283,86 | 684,30 | 0,96 | 20,72 | 0,00 | 0,00 | 1.092,68 | 0,81% |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 7.622,43 | 28.948,07 | 40.293,76 | 878,98 | 397,63 | 0,00 | 0,00 | 78.140,87 | 58,03% |
| | From imported electricity (location-based-method) | t CO2e | 4.148,79 | 15.754,14 | 22.282,72 | 478,36 | 216,40 | 0,00 | 0,00 | 42.880,41 | - |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 3.002,70 | 7.205,23 | 1.800,93 | 41,75 | 24,71 | 12,55 | 0,00 | 12.087,87 | 8,98% |
| | 3.2 Capital goods | t CO2e | 3.118,72 | 11.574,56 | 1.093,94 | 0,00 | 0,00 | 69,23 | 0,00 | 15.856,45 | 11,77% |
| | 3.3 Oil and electricity production | t CO2e | 1.897,72 | 7.392,23 | 9.932,53 | 212,41 | 689,71 | 0,00 | 0,00 | 20.124,60 | 14,94% |
| | 3.4 Upstream transport and distribution | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00% |
| | 3.5 Disposal of waste | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00% |
| | 3.6 Business travel | t CO2e | 79,76 | 147,49 | 3,19 | 14,19 | 0,51 | 0,00 | 0,00 | 245,14 | 0,18% |
| | 3.7 Employee commuting | t CO2e | 118,98 | 390,89 | 9,69 | 4,35 | 10,35 | 0,00 | 0,00 | 534,26 | 0,40% |
| | 3.8 Use of assets leased by the organization | t CO2e | 1.500,11 | 2.564,07 | 176,73 | 0,00 | 0,05 | 0,00 | 0,00 | 4.240,96 | 3,15% |
| | 3.13 Downstream leased assets owned by the organization | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00% |
| | 3.15. Investments | t CO2e | 100,72 | 690,52 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 791,24 | 0,59% |
| | TOTAL (market-based method) | | t CO2e | 17.623,95 | 60.665,21 | 53.995,07 | 1.152,64 | 1.143,68 | 81,78 | 0,00 | 134.662,33 |
| TOTAL (location-based method) | | t CO2e | 14.150,31 | 47.471,28 | 35.984,03 | 752,02 | 962,45 | 81,78 | 0,00 | 99.401,87 | - |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX ITALIA (Cellnex Italy)'s Carbon Footprint verification has been carried out.

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEX TELECOM ITALY GHG 2024** of January 2025 for **base year 2020** is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That the verified tons at Cellnex Italia have been

| GHG EMISSIONS | | | | |
|--|---|---------------|---------------------|---------------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | CELLNEX ITALY | Total Italy 2020 |
| C1. Direct GHG emissions and removals | | t CO2e | 1.449,0200 | 1.449,0200 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 167.694,9200 | 167.694,9200 |
| | Location-based method | t CO2e | 156.524,2600 | 156.524,2600 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 142,8100 | 142,8100 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 58.961,1300 | 58.961,1300 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 8.749,7700 | 8.749,7700 |
| TOTAL (market-based method) | | t CO2e | 236.997,6500 | 236.997,6500 |
| TOTAL (location-based method) | | t CO2e | 225.826,9900 | 225.826,9900 |
| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | |
| Scope | Category | Units | ITALY | |
| | | | 2020 | |
| Scope 1 | | t CO2e | 1.449,02 | |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 167.694,92 | |
| Scope 2 | From imported electricity (location-based-method) | t CO2e | 156.524,26 | |
| Scope 3 | | t CO2e | 67.853,71 | |
| TOTAL (market-based method) | | t CO2e | 236.997,65 | |
| TOTAL (location-based method) | | t CO2e | 225.826,99 | |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX FRANCE GROUPE (Cellnex France, On Tower France, Springbok Mobility, Hivory I, NexLoop France, Cellnex France Infrastructures)'s Carbon Footprint verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEX TELECOM FRANCE GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That the verified tons at **Cellnex France Groupe** have been

| GHG EMISSIONS 2020 - FRANCE | | | | | | | | | | |
|---|-------------------------------|---------------------|---------------------------|------------|------------|--------------------|----------------------|-----------|-------------------------------|------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | | | | | Cellnex France Infrastructure | Total 2020 |
| | | | Cellnex FR Group | Cellnex FR | OnTower FR | Springbok Mobility | NexLoop France S.A.S | Hivory I | | |
| C1. Direct GHG emissions and removals | | t CO ₂ e | 0,00 | 34,78 | 47,98 | 0,00 | 74,46 | 0,00 | 0,00 | 157,22 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | Location-based method | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 323,71 | 0,00 | 0,00 | 323,71 |
| C3. Indirect GHG emissions from transportation | | t CO ₂ e | 54,16 | 79,63 | 63,71 | 0,65 | 15,09 | 83,56 | 0,00 | 296,80 |
| C4. Indirect GHG emissions from products used by organization | | t CO ₂ e | 317,76 | 6.479,35 | 574,82 | 5,00 | 316,42 | 9.074,83 | 6,24 | 16.774,42 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO ₂ e | 0,00 | 4.591,44 | 7.153,26 | 0,00 | 0,00 | 13.655,05 | 0,00 | 25.399,75 |
| | TOTAL (market-based method) | t CO ₂ e | 371,92 | 11.185,20 | 7.839,77 | 5,65 | 405,97 | 22.813,44 | 6,24 | 42.628,19 |
| | TOTAL (location-based method) | t CO ₂ e | 371,92 | 11.185,20 | 7.839,77 | 5,65 | 729,68 | 22.813,44 | 6,24 | 42.951,90 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | | | | | | | |
|---|---|-----------------------------|---------------------------|------------|------------|--------------------|----------------------|-----------|--------------------------------|---------------|-----------|
| Scope | Category | Units | ORGANIZATIONAL BOUNDARIES | | | | | | Cellnex France Infrastructures | Total FR 2020 | |
| | | | Cellnex FR Group | Cellnex FR | OnTower FR | Springbok Mobility | NexLoop France S.A.S | Hivory I | | | |
| Scope 1 | Stationary combustion | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,05 | 0,00 | 0,00 | 0,05 | |
| | Mobile combustion | t CO ₂ e | 0,00 | 28,68 | 47,98 | 0,00 | 0,77 | 0,00 | 0,00 | 77,43 | |
| | Fugitive emissions | t CO ₂ e | 0,00 | 6,10 | 0,00 | 0,00 | 73,64 | 0,00 | 0,00 | 79,74 | |
| Scope 2 | From imported electricity (market-based-method) | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | |
| | From imported electricity (location-based-method) | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 323,71 | 0,00 | 0,00 | 323,71 | |
| Scope 3 | 3.1 Purchased goods and services | t CO ₂ e | 59,19 | 2.107,15 | 566,39 | 5,00 | 294,32 | 2.610,02 | 6,24 | 5.648,31 | |
| | 3.2 Capital goods | t CO ₂ e | 0,00 | 4.149,87 | 0,00 | 0,00 | 0,00 | 5.550,04 | 0,00 | 9.699,91 | |
| | 3.3 Oil and electricity production | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 22,10 | 0,00 | 0,00 | 22,10 | |
| | 3.4 Upstream transport and distribution | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | |
| | 3.5 Disposal of waste | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | |
| | 3.6 Business travel | t CO ₂ e | 2,13 | 3,13 | 2,51 | 0,05 | 2,50 | 21,71 | 0,00 | 32,03 | |
| | 3.7 Employee commuting | t CO ₂ e | 52,09 | 76,50 | 61,20 | 0,60 | 12,59 | 61,85 | 0,00 | 264,77 | |
| | 3.8 Use of assets leased by the organization | t CO ₂ e | 258,57 | 222,33 | 8,43 | 0,00 | 0,00 | 914,77 | 0,00 | 1.404,10 | |
| | 3.13 Downstream leased assets owned by the organization | t CO ₂ e | 0,00 | 4.591,44 | 7.153,26 | 0,00 | 0,00 | 13.655,05 | 0,00 | 25.399,75 | |
| | | TOTAL (market-based method) | t CO ₂ e | 371,92 | 11.185,20 | 7.839,77 | 5,65 | 405,97 | 22.813,44 | 6,24 | 42.628,19 |
| | TOTAL (location-based method) | t CO ₂ e | 371,92 | 11.185,20 | 7.839,77 | 5,65 | 729,68 | 22.813,44 | 6,24 | 42.951,90 | |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX NETHERLANDS (Cellnex Netherlands, Shere Masten; Alticom; On Tower Netherlands; Towerlink Netherlands; Cignal Infrastructure, Breedlink, The Broadcast Group, Broadcast Innovation, Broadcast Management & Operations, Broadcast Technology)'s Carbon Footprint verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emission Report CELLNEX TELECOM NETHERLANDS Inventory **GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That the verified tons at **Cellnex Netherlands** have been

| REPORTING BOUNDARIES | | GHG SOURCES | Units | GHG EMISSIONS | | | | | | | | | | | | TOTAL 2020 | |
|---|--|-----------------------|---------------------|---------------------|-----------|--------------|-----------|-----------|-------------------------|-----------------------|-------------------------|----------------------|-----------|-----------|------------------------|------------|-----------|
| | | | | CF 2020 | | | | | | | | | | | | | |
| | | | | Cellnex Netherlands | On Tower | Shere Masten | Alticom | Cignal | The Broadcast Group B.V | Broadcast Innovations | Management & Operations | Broadcast Technology | Towerlink | Breedlink | Digital Infrastructure | | |
| C1. Direct GHG emissions and removals | | | t CO ₂ e | 0,00 | 98,59 | 21,22 | 319,68 | 2,17 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 441,66 |
| C2. Indirect GHG emissions from imported energy | | Market-based method | t CO ₂ e | 0,00 | 5.430,11 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 5.430,11 |
| | | Location-based method | t CO ₂ e | 0,00 | 5.233,11 | 3,67 | 8.797,51 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 14.034,29 |
| C3. Indirect GHG emissions from transportation | | | t CO ₂ e | 0,59 | 131,88 | 6,93 | 14,07 | 21,13 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 174,60 |
| C4. Indirect GHG emissions from products used by organization | | | t CO ₂ e | 353,80 | 3.203,05 | 615,57 | 1.166,62 | 2.755,67 | 91,73 | 0,00 | 0,00 | 5,47 | 100,87 | 37,38 | 0,00 | 0,00 | 8.330,16 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | | t CO ₂ e | 0,00 | 2.291,13 | 9.499,81 | 4.719,04 | 18.345,81 | 0,00 | 0,00 | 0,00 | 0,00 | 618,77 | 0,00 | 16,58 | 0,00 | 35.491,14 |
| TOTAL (market-based method) | | | t CO ₂ e | 354,39 | 11.154,76 | 10.143,53 | 6.219,41 | 21.124,78 | 91,73 | 0,00 | 0,00 | 5,47 | 719,64 | 37,38 | 16,58 | 0,00 | 49.867,67 |
| TOTAL (location-based method) | | | t CO ₂ e | 354,39 | 10.957,76 | 10.147,20 | 15.016,92 | 21.124,78 | 91,73 | 0,00 | 0,00 | 5,47 | 719,64 | 37,38 | 16,58 | 0,00 | 58.471,85 |

| Scope | | Category | Units | GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | | | | | | | | TOTAL 2020 | | |
|---------|---|---------------------|---------------------|---|-----------|--------------|-----------|-----------|-------------------------|---------------------------|-----------------------------------|--------------------------|-----------|-----------|-------------------|------------|-----------|-----------|
| | | | | ORGANIZATIONAL BOUNDARIES | | | | | | | | | | | | | | |
| | | | | Cellnex Netherlands | On Tower | Shere Masten | Alticom | Cignal | The Broadcast Group B.V | Broadcast Innovations B.V | Broadcast Management & Operations | Broadcast Technology B.V | Towerlink | Breedlink | Digital Infrastru | | | |
| Scope 1 | Stationary combustion | t CO ₂ e | 0,00 | 0,19 | 4,42 | 112,53 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 117,14 | |
| | Mobile combustion | t CO ₂ e | 0,00 | 98,40 | 16,80 | 46,12 | 2,17 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 163,49 | |
| | Fugitive emissions | t CO ₂ e | 0,00 | 0,00 | 0,00 | 161,03 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 161,03 | |
| Scope 2 | From imported electricity (market-based-method) | t CO ₂ e | 0,00 | 5.430,11 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 5.430,11 | |
| | From imported electricity (location-based-method) | t CO ₂ e | 0,00 | 5.233,11 | 3,67 | 8.797,51 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 14.034,29 | |
| | From imported energy (steam, heating, cooling, etc) | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | |
| Scope 3 | 3.1 Purchased goods and services | t CO ₂ e | 353,80 | 963,10 | 83,62 | 479,66 | 658,95 | 91,73 | 0,00 | 0,00 | 5,47 | 45,71 | 20,19 | 0,00 | 0,00 | 0,00 | 2.702,23 | |
| | 3.2 Capital goods | t CO ₂ e | 0,00 | 335,01 | 527,73 | 252,50 | 2.085,06 | 0,00 | 0,00 | 0,00 | 0,00 | 55,16 | 17,19 | 0,00 | 0,00 | 0,00 | 3.272,65 | |
| | 3.3 Oil and electricity production | t CO ₂ e | 0,00 | 1.048,44 | 4,22 | 482,39 | 0,46 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 1.485,51 | |
| | 3.4 Upstream transport and distribution | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | |
| | 3.5 Disposal of waste | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | |
| | 3.6 Business travel | t CO ₂ e | 0,00 | 109,36 | 0,41 | 1,63 | 0,19 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 111,59 | |
| | 3.7 Employee commuting | t CO ₂ e | 0,59 | 22,52 | 6,52 | 12,44 | 20,94 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 63,01 | |
| | 3.8 Use of assets leased by the organization | t CO ₂ e | 0,00 | 856,50 | 0,00 | 2,07 | 11,20 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 869,77 | |
| | 3.13 Downstream leased assets owned by the organization | t CO ₂ e | 0,00 | 2.291,13 | 9.499,81 | 4.719,04 | 18.345,81 | 0,00 | 0,00 | 0,00 | 0,00 | 618,77 | 0,00 | 0,00 | 0,00 | 0,00 | 35.474,56 | |
| | 3.15 Investments | t CO ₂ e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 16,58 | 0,00 | 16,58 | |
| | TOTAL (market-based method) | | t CO ₂ e | 354,39 | 11.154,76 | 10.143,53 | 6.219,41 | 21.124,78 | 91,73 | 0,00 | 0,00 | 5,47 | 719,64 | 37,38 | 16,58 | 0,00 | 0,00 | 49.867,67 |
| | TOTAL (location-based method) | | t CO ₂ e | 354,39 | 10.957,76 | 10.147,20 | 15.016,92 | 21.124,78 | 91,73 | 0,00 | 0,00 | 5,47 | 719,64 | 37,38 | 16,58 | 0,00 | 0,00 | 58.471,85 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX SWITZERLAND (Cellnex Switzerland and Swiss Towers)'s Carbon Footprint verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emission Report **CELLNEX TELECOM SWITZERLAND GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex Switzerland** have been

| GHG EMISSIONS 2020 | | | | | |
|---|-----------------------|--------|---------------------------|-----------------|------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | Total 2020 |
| | | | Cellnex Switzerland AG | Swiss Towers AG | |
| C1. Direct GHG emissions and removals | | t CO2e | 0,00 | 29,40 | 29,40 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 0,00 | 0,00 | 0,00 |
| | Location-based method | t CO2e | 0,00 | 2,19 | 2,19 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 13,91 | 20,43 | 34,34 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 295,89 | 1.398,44 | 1.694,33 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 0,00 | 11.015,57 | 11.015,57 |
| TOTAL (market-based method) | | t CO2e | 309,80 | 12.463,84 | 12.773,64 |
| TOTAL (location-based method) | | t CO2e | 309,80 | 12.466,02 | 12.775,83 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | |
|---|---|--------|---------------------------|-----------------|------------|
| Scope | Category | Units | ORGANIZATIONAL BOUNDARIES | | Total 2020 |
| | | | Cellnex Switzerland AG | Swiss Towers AG | |
| Scope 1 | Stationary combustion | t CO2e | 0,00 | 0,00 | 0,00 |
| | Mobile combustion | t CO2e | 0,00 | 29,40 | 29,40 |
| | Fugitive emissions | t CO2e | 0,00 | 0,00 | 0,00 |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 0,00 | 0,00 | 0,00 |
| | From imported electricity (location-based-method) | t CO2e | 0,00 | 2,19 | 2,19 |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 291,75 | 699,93 | 991,68 |
| | 3.2 Capital goods | t CO2e | 4,14 | 698,51 | 702,65 |
| | 3.3 Oil and electricity production | t CO2e | 0,00 | 0,00 | 0,00 |
| | 3.4 Upstream transport and distribution | t CO2e | 0,00 | 0,00 | 0,00 |
| | 3.5 Disposal of waste | t CO2e | 0,00 | 0,00 | 0,00 |
| | 3.6 Business travel | t CO2e | 0,00 | 3,01 | 3,01 |
| | 3.7 Employee commuting | t CO2e | 13,91 | 17,42 | 31,33 |
| | 3.8 Use of assets leased by the organization | t CO2e | 0,00 | 0,00 | 0,00 |
| | 3.13 Downstream leased assets owned by the organization | t CO2e | 0,00 | 11.015,57 | 11.015,57 |
| | 3.15 Investments | t CO2e | 0,00 | 0,00 | 0,00 |
| | TOTAL (market-based method) | | t CO2e | 309,80 | 12.463,84 |
| TOTAL (location-based method) | | t CO2e | 309,80 | 12.466,02 | 12.775,83 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX UK (Cellnex UK; Cellnex UK Midco; London Connectivity Partnership, Cellnex UK In building solutions, On Tower UK; Towerlink UK; Signal Infrastructure UK Limited)'s Carbon Footprint verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEX TELECOM UNITED KINGDON GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex UK** have been

| GHG EMISSIONS 2020 | | | | | | | | | | |
|---|-----------------------|--------|---------------------------|--------------------------|---------------------------------|--|-------------|----------------------|----------------------------------|------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | | | | | Signal Infrastructure UK Limited | Total 2020 |
| | | | Cellnex UK Limited | Cellnex UK Midco Limited | London Connectivity Partnership | Cellnex UK In-Building Solutions Limited | On Tower UK | Towerlink UK Limited | | |
| C1. Direct GHG emissions and removals | | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 38,28 | 0,00 | 0,00 | 38,28 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | Location-based method | t CO2e | 0,00 | 226,44 | 0,00 | 0,00 | 13.353,50 | 0,00 | 0,00 | 13.579,94 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 11,72 | 6,47 | 0,00 | 0,00 | 113,38 | 0,00 | 0,00 | 131,57 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 3.803,86 | 653,75 | 0,00 | 184,40 | 13.145,24 | 481,14 | 515,47 | 18.783,86 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 47.094,04 | 0,00 | 0,00 | 47.094,04 |
| TOTAL (market-based method) | | t CO2e | 3.815,58 | 660,22 | 0,00 | 184,40 | 60.390,94 | 481,14 | 515,47 | 66.047,75 |
| TOTAL (location-based method) | | t CO2e | 3.815,58 | 886,66 | 0,00 | 184,40 | 73.744,44 | 481,14 | 515,47 | 79.627,69 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | | | | | | |
|---|---|--------|---------------------------|--------------------------|---------------------------------|--|-------------|----------------------|----------------------------------|------------|
| Scope | Category | Units | ORGANIZATIONAL BOUNDARIES | | | | | | Signal Infrastructure UK Limited | Total 2020 |
| | | | Cellnex UK Limited | Cellnex UK Midco Limited | London Connectivity Partnership | Cellnex UK In-Building Solutions Limited | On Tower UK | Towerlink UK Limited | | |
| Scope 1 | Stationary combustion | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | Mobile combustion | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 38,28 | 0,00 | 0,00 | 38,28 |
| | Fugitive emissions | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | From imported electricity (location-based-method) | t CO2e | 0,00 | 226,44 | 0,00 | 0,00 | 13.353,50 | 0,00 | 0,00 | 13.579,94 |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 3.803,86 | 605,59 | 0,00 | 184,40 | 2.150,53 | 481,13 | 283,15 | 7.508,66 |
| | 3.2 Capital goods | t CO2e | 0,00 | 24,74 | 0,00 | 0,00 | 6.604,71 | 0,01 | 232,32 | 6.861,78 |
| | 3.3 Oil and electricity production | t CO2e | 0,00 | 22,16 | 0,00 | 0,00 | 1.315,72 | 0,00 | 0,00 | 1.337,88 |
| | 3.4 Upstream transport and distribution | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | 3.5 Disposal of waste | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | 3.6 Business travel | t CO2e | 9,41 | 2,23 | 0,00 | 0,00 | 15,39 | 0,00 | 0,00 | 27,03 |
| | 3.7 Employee commuting | t CO2e | 2,31 | 4,24 | 0,00 | 0,00 | 97,99 | 0,00 | 0,00 | 104,54 |
| | 3.8 Use of assets leased by the organization | t CO2e | 0,00 | 1,26 | 0,00 | 0,00 | 3.074,28 | 0,00 | 0,00 | 3.075,54 |
| | 3.13 Downstream leased assets owned by the organization | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 47.094,04 | 0,00 | 0,00 | 47.094,04 |
| | TOTAL (market-based method) | | t CO2e | 3.815,58 | 660,22 | 0,00 | 184,40 | 60.390,94 | 481,14 | 515,47 |
| TOTAL (location-based method) | | t CO2e | 3.815,58 | 886,66 | 0,00 | 184,40 | 73.744,44 | 481,14 | 515,47 | 79.627,69 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX IRELAND (Cellnex Ireland; On Tower Ireland; Signal Infrastructure Limited) verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEX TELECOM IRELAND GHG GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex Ireland** have been

| GHG EMISSIONS | | | | | | |
|--|------------------------------|---------------|-----------------|-----------------------|--------------------------|--------------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | 2020 | | | Total IRELAND 2020 |
| | | | Cellnex Ireland | Signal Infrastructure | On Tower Ireland Limited | |
| C1. Direct GHG emissions and removals | | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 0,00 | 213,56 | 0,00 | 213,56 |
| | Location-based method | t CO2e | 0,00 | 213,56 | 0,00 | 213,56 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 0,00 | 89,64 | 20,37 | 110,61 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 330,77 | 852,10 | 890,04 | 2.072,91 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 0,00 | 1.643,77 | 3.607,11 | 5.250,88 |
| TOTAL (market-based method) | | t CO2e | 330,77 | 2.799,07 | 4.518,12 | 7.647,96 |
| TOTAL (location-based method) | | t CO2e | 330,77 | 2.799,07 | 4.518,12 | 7.647,96 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | | |
|---|---|---------------|-----------------|-----------------------|--------------------------|-----------------|
| Scope | Category | Units | IRELAND | | | |
| | | | Cellnex Ireland | Signal Infrastructure | On Tower Ireland Limited | 2020 |
| Scope 1 | Stationary combustion | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| | Mobile combustion | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| | Fugitive emissions | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 0,00 | 213,56 | 0,00 | 213,56 |
| | From imported electricity (location-based-method) | t CO2e | 0,00 | 213,56 | 0,00 | 213,56 |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 330,77 | 150,83 | 343,07 | 824,67 |
| | 3.2 Capital goods | t CO2e | 0,00 | 643,03 | 140,83 | 783,86 |
| | 3.3 Oil and electricity production | t CO2e | 0,00 | 58,24 | 0,00 | 58,24 |
| | 3.4 Upstream transport and distribution | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| | 3.5 Disposal of waste | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| | 3.6 Business travel | t CO2e | 0,00 | 69,02 | 0,95 | 69,97 |
| | 3.7 Employee commuting | t CO2e | 0,00 | 20,62 | 20,02 | 40,64 |
| | 3.8 Use of assets leased by the organization | t CO2e | 0,00 | 0,00 | 406,14 | 406,14 |
| | 3.13 Downstream leased assets owned by the organization | t CO2e | 0,00 | 1.643,77 | 3.607,11 | 5.250,88 |
| | 3.15 Investments | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| TOTAL (market-based method) | | t CO2e | 330,77 | 2.799,07 | 4.518,12 | 7.647,96 |
| TOTAL (location-based method) | | t CO2e | 330,77 | 2.799,07 | 4.518,12 | 7.647,96 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX PORTUGAL (Cellnex Portugal; Omtel Estruturas de Comunicações; Towerlink Portugal; On Tower Portugal; Infratower S.A.; Hivory Portugal) verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEX TELECOM PORTUGAL GHG GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex Portugal** have been

| GHG EMISSIONS 2020 | | | | | | | | | | | |
|---|---|-----------------------|------------------|------------------|---------------------------|-------------------|--------------------|-------------------|------------------|------------------|------------------|
| REPORTING BOUNDARIES | | GHG SOURCES | | Units | ORGANIZATIONAL BOUNDARIES | | | | | Total 2020 | |
| | | | | | Cellnex Portugal | Omtel | Towerlink Portugal | On Tower Portugal | Infratower S.A. | Hivory | |
| C1. Direct GHG emissions and removals | | | | t CO2e | 0,00 | 44,37 | 0,00 | 7,32 | 0,00 | 0,00 | 51,69 |
| C2. Indirect GHG emissions from imported energy | | Market-based method | | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | | Location-based method | | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| C3. Indirect GHG emissions from transportation | | | | t CO2e | 12,45 | 18,87 | 0,00 | 10,25 | 0,00 | 0,00 | 41,57 |
| C4. Indirect GHG emissions from products used by organization | | | | t CO2e | 262,13 | 1.884,06 | 554,00 | 397,49 | 101,68 | 6,41 | 3.205,77 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | | | t CO2e | 0,00 | 18.995,98 | 0,00 | 14.328,95 | 4.145,01 | 1.803,57 | 39.273,51 |
| TOTAL (market-based method) | | | | t CO2e | 274,58 | 20.943,28 | 554,00 | 14.744,01 | 4.246,69 | 1.809,98 | 42.572,54 |
| TOTAL (location-based method) | | | | t CO2e | 274,58 | 20.943,28 | 554,00 | 14.744,01 | 4.246,69 | 1.809,98 | 42.572,54 |
| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | | | | | | | |
| Scope | Category | Units | Cellnex Portugal | Omtel | Towerlink Portugal | On Tower Portugal | Infratower S.A. | Hivory | Total 2020 | | |
| Scope 1 | Stationary combustion | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | | |
| | Mobile combustion | t CO2e | 0,00 | 44,37 | 0,00 | 7,32 | 0,00 | 0,00 | 51,69 | | |
| | Fugitive emissions | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | | |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | | |
| | From imported electricity (location-based-method) | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | | |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 261,42 | 317,14 | 552,15 | 165,87 | 56,42 | 6,21 | 1.359,21 | | |
| | 3.2 Capital goods | t CO2e | 0,71 | 1.548,32 | 1,85 | 226,50 | 45,26 | 0,20 | 1.822,84 | | |
| | 3.3 Oil and electricity production | t CO2e | 0,00 | 10,07 | 0,00 | 1,66 | 0,00 | 0,00 | 11,73 | | |
| | 3.4 Upstream transport and distribution | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | | |
| | 3.5 Disposal of waste | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | | |
| | 3.6 Business travel | t CO2e | 0,30 | 6,41 | 0,00 | 0,00 | 0,00 | 0,00 | 6,71 | | |
| | 3.7 Employee commuting | t CO2e | 12,15 | 12,46 | 0,00 | 10,25 | 0,00 | 0,00 | 34,86 | | |
| | 3.8 Use of assets leased by the organization | t CO2e | 0,00 | 8,53 | 0,00 | 3,46 | 0,00 | 0,00 | 11,99 | | |
| | 3.13 Downstream leased assets owned by the organization | t CO2e | 0,00 | 18.995,98 | 0,00 | 14.328,95 | 4.145,01 | 1.803,57 | 39.273,51 | | |
| | TOTAL (market-based method) | | t CO2e | 274,58 | 20.943,28 | 554,00 | 14.744,01 | 4.246,69 | 1.809,98 | 42.572,54 | |
| TOTAL (location-based method) | | t CO2e | 274,58 | 20.943,28 | 554,00 | 14.744,01 | 4.246,69 | 1.809,98 | 42.572,54 | | |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX AUSTRIA (Cellnex Austria; On Tower Austria) verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEX TELECOM AUSTRIA GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex Austria** have been

| GHG EMISSIONS 2020 | | | | | |
|---|-----------------------|--------|---------------------------|------------------|------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | Total 2020 |
| | | | Cellnex Austria | On Tower Austria | |
| C1. Direct GHG emissions and removals | | t CO2e | 0,00 | 112,32 | 112,32 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 0,00 | 8.305,22 | 8.305,22 |
| | Location-based method | t CO2e | 0,00 | 0,48 | 0,48 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 0,00 | 19,42 | 19,42 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 566,61 | 3.500,18 | 4.066,79 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 0,00 | 27.084,68 | 27.084,68 |
| TOTAL (market-based method) | | t CO2e | 566,61 | 39.021,82 | 39.588,43 |
| TOTAL (location-based method) | | t CO2e | 566,61 | 30.717,08 | 31.283,69 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | |
|---|---|--------|-----------------|------------------|------------------|
| Scope | Category | Units | Cellnex Austria | On Tower Austria | Total 2020 |
| Scope 1 | Stationary combustion | t CO2e | 0,00 | 0,00 | 0,00 |
| | Mobile combustion | t CO2e | 0,00 | 2,70 | 2,70 |
| | Fugitive emissions | t CO2e | 0,00 | 109,62 | 109,62 |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 0,00 | 8.305,22 | 8.305,22 |
| | From imported electricity (location-based-method) | t CO2e | 0,00 | 0,48 | 0,48 |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 563,20 | 1.065,37 | 1.628,57 |
| | 3.2 Capital goods | t CO2e | 0,00 | 684,78 | 684,78 |
| | 3.3 Oil and electricity production | t CO2e | 0,00 | 0,00 | 0,00 |
| | 3.4 Upstream transport and distribution | t CO2e | 0,00 | 0,00 | 0,00 |
| | 3.5 Disposal of waste | t CO2e | 0,00 | 0,00 | 0,00 |
| | 3.6 Business travel | t CO2e | 0,00 | 6,67 | 6,67 |
| | 3.7 Employee commuting | t CO2e | 0,00 | 12,75 | 12,75 |
| | 3.8 Use of assets leased by the organization | t CO2e | 3,41 | 1.750,03 | 1.753,44 |
| | 3.13 Downstream leased assets owned by the organization | t CO2e | 0,00 | 27.084,68 | 27.084,68 |
| | 3.15 Investments | t CO2e | 0,00 | 0,00 | 0,00 |
| TOTAL (market-based method) | | t CO2e | 566,61 | 39.021,82 | 39.588,43 |
| TOTAL (location-based method) | | t CO2e | 566,61 | 30.717,08 | 31.283,69 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX DENMARK (Cellnex Denmark; On Tower Denmark) verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEX TELECOM DENMARK GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex Denmark** have been

| GHG EMISSIONS 2020 | | | | | |
|---|-----------------------|--------------------|---------------------------|------------------|-----------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | Total 2020 |
| | | | Cellnex Denmark | On Tower Denmark | |
| C1. Direct GHG emissions and removals | | tCO ₂ e | 0,00 | 27,46 | 27,46 |
| C2. Indirect GHG emissions from imported energy | Market-based method | tCO ₂ e | 0,00 | 15,45 | 15,45 |
| | Location-based method | tCO ₂ e | 0,00 | 6,91 | 6,91 |
| C3. Indirect GHG emissions from transportation | | tCO ₂ e | 0,00 | 48,22 | 48,22 |
| C4. Indirect GHG emissions from products used by organization | | tCO ₂ e | 135,08 | 2.465,42 | 2.600,50 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | tCO ₂ e | 0,00 | 3.882,78 | 3.882,78 |
| TOTAL (market-based method) | | tCO ₂ e | 135,08 | 6.439,33 | 6.574,41 |
| TOTAL (location-based method) | | tCO ₂ e | 135,08 | 6.430,79 | 6.565,87 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | |
|---|---|--------------------|-----------------|------------------|-----------------|
| Scope | Category | Units | Cellnex Denmark | On Tower Denmark | Total 2020 |
| Scope 1 | Stationary combustion | tCO ₂ e | 0,00 | 0,00 | 0,00 |
| | Mobile combustion | tCO ₂ e | 0,00 | 22,45 | 22,45 |
| | Fugitive emissions | tCO ₂ e | 0,00 | 5,01 | 5,01 |
| Scope 2 | From imported electricity (market-based-method) | tCO ₂ e | 0,00 | 15,45 | 15,45 |
| | From imported electricity (location-based-method) | tCO ₂ e | 0,00 | 6,91 | 6,91 |
| Scope 3 | 3.1 Purchased goods and services | tCO ₂ e | 135,08 | 798,09 | 933,17 |
| | 3.2 Capital goods | tCO ₂ e | 0,00 | 313,59 | 313,59 |
| | 3.3 Oil and electricity production | tCO ₂ e | 0,00 | 1,63 | 1,63 |
| | 3.4 Upstream transport and distribution | tCO ₂ e | 0,00 | 0,00 | 0,00 |
| | 3.5 Disposal of waste | tCO ₂ e | 0,00 | 0,00 | 0,00 |
| | 3.6 Business travel | tCO ₂ e | 0,00 | 5,78 | 5,78 |
| | 3.7 Employee commuting | tCO ₂ e | 0,00 | 42,44 | 42,44 |
| | 3.8 Use of assets leased by the organization | tCO ₂ e | 0,00 | 1.352,11 | 1.352,11 |
| | 3.10 Downstream leased assets owned by the organization | tCO ₂ e | 0,00 | 3.882,78 | 3.882,78 |
| | 3.15 Investments | tCO ₂ e | 0,00 | 0,00 | 0,00 |
| TOTAL (market-based method) | | tCO ₂ e | 135,08 | 6.439,33 | 6.574,41 |
| TOTAL (location-based method) | | tCO ₂ e | 135,08 | 6.430,79 | 6.565,87 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX SWEDEN (Cellnex Sweden, On Tower Sweden) verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEXTELECOM SWEDEN GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex Sweden** have been

| GHG EMISSIONS 2020 | | | | | |
|---|-----------------------|--------|---------------------------|-----------------|-----------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | Total 2020 |
| | | | Cellnex Sweden | On Tower Sweden | |
| C1. Direct GHG emissions and removals | | t CO2e | 0,00 | 8,88 | 8,88 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 0,00 | 0,00 | 0,00 |
| | Location-based method | t CO2e | 0,00 | 596,94 | 596,94 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 0,00 | 9,09 | 9,09 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 237,14 | 1.074,87 | 1.312,01 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 0,00 | 451,12 | 451,12 |
| TOTAL (market-based method) | | t CO2e | 237,14 | 1.543,96 | 1.781,10 |
| TOTAL (location-based method) | | t CO2e | 237,14 | 2.140,90 | 2.378,04 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | |
|---|---|--------|----------------|-----------------|-----------------|
| Scope | Category | Units | Cellnex Sweden | On Tower Sweden | Total 2020 |
| Scope 1 | Stationary combustion | t CO2e | 0,00 | 0,00 | 0,00 |
| | Mobile combustion | t CO2e | 0,00 | 0,00 | 0,00 |
| | Fugitive emissions | t CO2e | 0,00 | 8,88 | 8,88 |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 0,00 | 0,00 | 0,00 |
| | From imported electricity (location-based-method) | t CO2e | 0,00 | 596,94 | 596,94 |
| | From imported energy (steam, heating, cooling, etc) | t CO2e | 0,00 | 0,00 | 0,00 |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 237,14 | 438,15 | 675,29 |
| | 3.2 Capital goods | t CO2e | 0,00 | 170,85 | 170,85 |
| | 3.3 Oil and electricity production | t CO2e | 0,00 | 27,02 | 27,02 |
| | 3.6 Business travel | t CO2e | 0,00 | 0,00 | 0,00 |
| | 3.7 Employee commuting | t CO2e | 0,00 | 9,09 | 9,09 |
| | 3.8 Use of assets leased by the organization | t CO2e | 0,00 | 438,85 | 438,85 |
| | 3.13 Downstream leased assets owned by the organization | t CO2e | 0,00 | 451,12 | 451,12 |
| | 3.15 Investments | t CO2e | 0,00 | 0,00 | 0,00 |
| TOTAL (market-based method) | | t CO2e | 237,14 | 1.543,96 | 1.781,10 |
| TOTAL (location-based method) | | t CO2e | 237,14 | 2.140,90 | 2.378,04 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The **CELLNEX POLAND (Cellnex Poland; On Tower Poland, Towerlink Poland; Signal Infrastructure Poland, Remer)** verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The Emissions Report **CELLNEX TELECOM POLAND GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex Poland** have been

| GHG EMISSIONS 2020 | | | | | | | | |
|--|--------------------------------------|--------|---------------------------|-----------------|------------------|-------------------------|------------|------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | | | Total 2020 | |
| | | | Cellnex Poland | On Tower Poland | Towerlink Poland | Signal Infrastructure P | | Remer |
| C1. Direct GHG emissions and removals | | t CO2e | 0,00 | 0,00 | 399,71 | 0,00 | 0,00 | 399,71 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 0,00 | 0,00 | 179.785,63 | 0,00 | 0,00 | 179.785,63 |
| | Location-based method | t CO2e | 0,00 | 0,00 | 108.080,41 | 0,00 | 0,00 | 108.080,41 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 0,00 | 71,67 | 521,15 | 0,00 | 0,00 | 592,82 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 745,47 | 43.202,40 | 81.891,34 | 649,96 | 56,97 | 126.546,14 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 0,00 | 124.515,41 | 13.906,18 | 0,00 | 0,00 | 138.421,59 |
| | TOTAL (market-based method) | t CO2e | 745,47 | 167.789,48 | 276.504,01 | 649,96 | 56,97 | 445.745,89 |
| | TOTAL (location-based method) | t CO2e | 745,47 | 167.789,48 | 204.798,79 | 649,96 | 56,97 | 374.040,67 |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | | | | |
|---|---|------------------------------------|----------------|-----------------|------------------|-------------------------|--------|------------|
| Scope | Category | Units | Cellnex Poland | On Tower Poland | Towerlink Poland | Signal Infrastructure P | Remer | Total 2020 |
| Scope 1 | Stationary combustion | t CO2e | 0,00 | 0,00 | 19,84 | 0,00 | 0,00 | 19,84 |
| | Mobile combustion | t CO2e | 0,00 | 0,00 | 255,44 | 0,00 | 0,00 | 255,44 |
| | Fugitive emissions | t CO2e | 0,00 | 0,00 | 124,43 | 0,00 | 0,00 | 124,43 |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 0,00 | 0,00 | 179.785,63 | 0,00 | 0,00 | 179.785,63 |
| | From imported electricity (location-based-method) | t CO2e | 0,00 | 0,00 | 108.080,41 | 0,00 | 0,00 | 108.080,41 |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 662,20 | 2.223,07 | 1.217,12 | 2,24 | 56,64 | 4.161,27 |
| | 3.2 Capital goods | t CO2e | 83,27 | 299,51 | 2.916,62 | 0,00 | 0,33 | 3.299,73 |
| | 3.3 Oil and electricity production | t CO2e | 0,00 | 0,00 | 24.214,58 | 0,00 | 0,00 | 24.214,58 |
| | 3.4 Upstream transport and distribution | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | 3.5 Disposal of waste | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 | 0,00 |
| | 3.6 Business travel | t CO2e | 0,00 | 0,91 | 25,83 | 0,00 | 0,00 | 26,74 |
| | 3.7 Employee commuting | t CO2e | 0,00 | 70,76 | 495,32 | 0,00 | 0,00 | 566,08 |
| | 3.8 Use of assets leased by the organization | t CO2e | 0,00 | 40.679,82 | 53.543,02 | 647,72 | 0,00 | 94.870,56 |
| | 3.12 Downstream leased assets owned by the organization | t CO2e | 0,00 | 124.515,41 | 13.906,18 | 0,00 | 0,00 | 138.421,59 |
| | | TOTAL (market-based method) | t CO2e | 745,47 | 167.789,48 | 276.504,01 | 649,96 | 56,97 |
| | TOTAL (location-based method) | t CO2e | 745,47 | 167.789,48 | 204.798,79 | 649,96 | 56,97 | 374.040,67 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

TÜV Rheinland Inspection, Certification & Testing, S.A. declares that:

The CELLNEX TELECOM (CORPORATE) (Cellnex Telecom and Cellnex Finance Company) verification has been carried out

As a result of this verification process TÜV Rheinland states that:

The emissions report **CELLNEX TELECOM CORPORATE GHG 2024** of January 2025 for base year 2020 is considered to be in accordance with the requirements of ISO 14064 part 1:2018 and The Greenhouse Gas Protocol for a limited level of assurance.

That verified tons in **Cellnex Telecom Corporate** have been

| GHG EMISSIONS 2020 | | | | | | |
|---|-----------------------|--------|---------------------------|--------------------------------|------------------------------|------------|
| REPORTING BOUNDARIES | GHG SOURCES | Units | ORGANIZATIONAL BOUNDARIES | | | Total 2020 |
| | | | 1297 - Cellnex Telecom | 1500 - Cellnex Finance Company | 1700 - Cellnex Nordics, S.L. | |
| C1. Direct GHG emissions and removals | | t CO2e | 231,16 | 0,00 | 0,00 | 231,16 |
| C2. Indirect GHG emissions from imported energy | Market-based method | t CO2e | 877,80 | 0,00 | 0,00 | 877,80 |
| | Location-based method | t CO2e | 487,66 | 0,00 | 0,00 | 487,66 |
| C3. Indirect GHG emissions from transportation | | t CO2e | 151,86 | 9,20 | 0,00 | 161,06 |
| C4. Indirect GHG emissions from products used by organization | | t CO2e | 10.987,53 | 41,53 | 104,06 | 11.133,12 |
| C5. Indirect GHG emissions associated with the use of products from the organizations | | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| TOTAL (market-based method) | | t CO2e | 12.248,35 | 50,73 | 104,06 | 12.403,14 |
| TOTAL (location-based method) | | t CO2e | 11.858,21 | 50,73 | 104,06 | 12.013,00 |

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |

| GHG EMISSIONS FOLLOWING THE GHG PROTOCOL CLASSIFICATION | | | | | | |
|---|---|--------|------------------------|--------------------------------|------------------------------|------------------|
| Scope | Category | Units | 1297 - Cellnex Telecom | 1500 - Cellnex Finance Company | 1700 - Cellnex Nordics, S.L. | Total 2020 |
| Scope 1 | Stationary combustion | t CO2e | 0,54 | 0,00 | 0,00 | 0,54 |
| | Mobile combustion | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| | Fugitive emissions | t CO2e | 230,62 | 0,00 | 0,00 | 230,62 |
| Scope 2 | From imported electricity (market-based-method) | t CO2e | 877,80 | 0,00 | 0,00 | 877,80 |
| | From imported electricity (location-based-method) | t CO2e | 487,66 | 0,00 | 0,00 | 487,66 |
| Scope 3 | 3.1 Purchased goods and services | t CO2e | 7.986,98 | 41,53 | 104,06 | 8.132,57 |
| | 3.2 Capital goods | t CO2e | 2.586,37 | 0,00 | 0,00 | 2.586,37 |
| | 3.3 Oil and electricity production | t CO2e | 227,63 | 0,00 | 0,00 | 227,63 |
| | 3.6 Business travel | t CO2e | 96,43 | 0,95 | 0,00 | 97,38 |
| | 3.7 Employee commuting | t CO2e | 55,43 | 8,25 | 0,00 | 63,68 |
| | 3.8 Use of assets leased by the organization | t CO2e | 186,55 | 0,00 | 0,00 | 186,55 |
| | 3.9 Downstream transport and distribution | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| | 3.13 Downstream leased assets owned by the organization | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 |
| 3.15 Investments | t CO2e | 0,00 | 0,00 | 0,00 | 0,00 | |
| TOTAL (market-based method) | | t CO2e | 12.248,35 | 50,73 | 104,06 | 12.403,14 |
| TOTAL (location-based method) | | t CO2e | 11.858,21 | 50,73 | 104,06 | 12.013,00 |

Signed: Antoni Lascorz
Chief Technical Verifier

Signed: Almudena Bouza
Reviewer

| Customer | Standard(s) |
|-----------------------|---|
| CELLNEX TELECOM, S.A. | ISO 14064: 2018 - part 1 & GHG Protocol |